NOTICE

2023 WATER QUALITY REPORT

FOR RICEVILLE WATER SUPPLY This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

CONTAMINANT	MCL - (MCLG)	Compliance		Date	Violation	Source	
6	:	Туре	Value & (Range)	42-26-200-00	Yes/No		
Total Trihalomethanes (ppb) [TTHM]	80 (N/A)	LRAA	4.00 (4 - 4)	09/30/2023	No	By-products of drinking water chlorination	
Lead (ppb)	AL=15 (0)	90th	ND	2021	No	Corrosion of household plumbing systems; erosion of natural deposits	
Copper (ppm)	AL=1.3 (1.3)	90th	0.188 (0.0243 - 0.344)	2021	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives	
950 - DISTRIBUTION S	SYSTEM	**** ***	70. ST		CO 40	2	
Chlorine (ppm)	MRDL=4.0 (MRDLG=4.0)	RAA	2.5 (1.8 - 3.3)	09/30/2023	No	Water additive used to control microbes	
01 - FINISHED WATER	R TAP, #1	80			- T		
Gross Alpha, inc (pCi/L)	15 (0)	SGL	5.2	06/28/2021	No	Erosion of natural deposits	
Combined Radium (pCi/L)	5 (0)	SGL	3.3	06/28/2021	No	Erosion of natural deposits	
Barium (ppm)	2 (2)	SGL	0.245	03/17/2021	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits	
Fluoride (ppm)	4 (4)	SGL	0.4	03/17/2021	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories	
Sodium (ppm)	N/A (N/A)	SGL	24.3	03/17/2021	No	Erosion of natural deposits; Added to water during treatment process	
02 - FINISHED WATER	R TAP, #2	546			E .		
Gross Alpha, inc (pCi/L)	15 (0)	SGL	7.2	06/28/2021	No	Erosion of natural deposits	
Combined Radium (pCi/L)	5 (0)	SGL	2.6	06/28/2021	No	Erosion of natural deposits	
Fluoride (ppm)	4 (4)	SGL	0.6	03/17/2021	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories	
Barium (ppm)	2 (2)	SGL	0.121	03/17/2021	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits	
Sodium (ppm)	N/A (N/A)	SGL	21.3	03/17/2021	No	Erosion of natural deposits; Added to water during treatment process	

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

•Maximum Contaminant Level (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

•Maximum Contaminant Level Goal (MCLG) -- The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

- •ppb -- parts per billion. •ppm -- parts per million.
- •pCi/L picocuries per liter
- •N/A Not applicable ND -- Not detected
- •RAA Running Annual Average •Treatment Technique (TT) - A required

process intended to reduce the level of a contaminant in drinking water. •Action Level (AL) - The concentration of

a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

•Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water

disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

 Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

•SGL - Single Sample Result

•RTCR – Revised Total Coliform Rule •NTU - Nephelometric Turbidity Units GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who

disorders, some elderly, and infants can be www.epa.gov/safewater/lead. particularly at risk from infections. These people should seek advice about drinking INFORMATION water from their health care providers. means to lessen the risk of infection by Ordovician aquifer.

used in plumbing components. When your Natural Resources, and is available from the water has been sitting for several hours, you Water Operator at 641-985-2367 can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 tested. Information on lead in drinking 2367.

water, testing methods and steps you can

have undergone organ transplants, people take to minimize exposure is available from with HIV/AIDS or other immune system the Safe Drinking Water Hotline or at http://

This water supply obtains its water from

EPA/CDC guidelines on appropriate the dolomite and limestone of the Devonian-Cryptosporidium and other microbial Ordovician aquifer was determined to contaminants are available from the Safe have low susceptibility to contamination Drinking Water Hotline (800-426-4791). because the characteristics of the aquifer If present, elevated levels of lead can and overlying materials provide natural cause serious health problems, especially protection from contaminants at the land for pregnant women and young children. surface. The Devonian-Ordovician wells Lead in drinking water is primarily from will have low susceptibility to surface materials and components associated contaminants such as leaking underground with service lines and home plumbing. storage tanks, contaminant spills, and RICEVILLE WATER SUPPLY is responsible excess fertilizer application. A detailed for providing high quality drinking water, evaluation of your source water was but cannot control the variety of materials completed by the lowa Department of

For questions regarding this information minutes before using water for drinking or or how you can get involved in decisions cooking. If you are concerned about lead in regarding the water system, please contact your water, you may wish to have your water RICEVILLE WATER SUPPLY at 641-985-

THE IOWA DISTRICT COURT FOR MITCHELL COUNTY IN THE MATTER OF THE ESTATE OF ROBERT D. NEUMANN, Deceased.

Case No. ESPR014088

NOTICE OF PROBATE OF WILL AND CODICIL, OF APPOINTMENT OF EXECUTOR, AND NOTICE TO **CREDITORS**

To all persons interested in the estate of Robert D. Neumann, deceased, who died on or about April 2, 2024.

You are hereby notified that on April 10, 2024, the Last Will and Testament of Robert D. Neumann, deceased, bearing the date of June 5, 2020, and a Codicil to said Will, bearing the date of August 18, 2020, were admitted to probate in the above-named court and that Karen Norton was appointed Executor of the estate. Any action to set aside the Will and Codicil must be brought in the District Court of the above county within the later to occur of four months from the date of the second publication of this Notice or one month from the date of mailing of this Notice to the surviving spouse and all heirs of the decedent and devisees under the Will and Codicil whose identities are reasonably ascertainable, or thereafter be forever

Notice is further given that all persons indebted to the estate are requested to make immediate payment to the undersigned, and creditors having claims against the estate shall file them with the Clerk of the above-named District Court, as provided by law, duly authenticated, for allowance, and unless so filed by the later to occur of four months from the second publication of this Notice or one month from the date of mailing of this Notice (unless otherwise allowed or paid) a claim is thereafter forever barred.

Dated this 11th day of April, 2024.

Executor of Estate: 629 Depot Street P.O. Box 85 Rudd, Iowa 50471

Attorney for Executor: James W. Hackbart, ICIS# AT0003005 Law Office of James W. Hackbart, PLC 304 Third Street P.O. Box 113

Grafton, Iowa 50440 Tel. (763) 486-9824 Email: hackbartlaw@iabar.org

Date of Second Publication 24th day of April, 2024.

NOTICE OF PUBLIC HEARING

The Mitchell County Memorial Hospital Trustees will conduct a public hearing on proposed plans, specifications, form of contract and estimated cost of a public improvement.

The Public Hearing will take place on April 22, 2024 at 12:00 PM in the Board Room (2nd floor) of Mitchell County Regional Health Center, Osage Clinic, 616 N 8th St., Osage, IA 50461, or audio conference line listed below

The public improvement is the construction of a Mitchell County Regional Health Center - Riceville Clinic, consisting of an approximately 3,282 square foot, singlestory, free-standing clinic building. The public improvement will be located at 713 Woodland Avenue, Riceville, IA 50466.

If the proposed plans, specifications, form of contract and estimated cost are approved, the Mitchell County Memorial Hospital Trustees will vote on acceptance of a bid from The Joseph Company for \$1,612,000.00 for the construction of the Mitchell County Regional Health Center -Riceville Clinic, as the lowest responsible, responsive bidder.

At the public hearing any resident or taxpayer may present objections to, or arguments in favor of, the proposed plans, specifications, form of contract and estimated cost of the public improvement. Contact Name: Michele Russell

Contact Telephone Number: (641) 732-6000 Virtual Meeting Information: Audio Conference Line: 1 989-341-4467

CODE: 731 749 814#

NOTICE OF PUBLIC HEARING ON PROPOSED 2024 MITCHELL COUNTY URBAN RENEWAL PLAN AMENDMENT

The Board of Supervisors of Mitchell County, Iowa, (the "County") will hold a public hearing commencing at 9:00 o'clock a.m. on April 30, 2024, at the Mitchell County Courthouse, 212 S 5th St., Osage, Iowa 50461, on the question of amending the Urban Renewal Plan for the Mitchell County Urban Renewal Area (the "Area"). The amendment adds additional property to the Area and will facilitate the undertaking of new urban renewal projects in the Area consisting of using tax increment financing to provide 15A grants to the Mitchell County Library Board, the Mitchell County Agricultural Society and the Mitchell County Economic Development Commission and to make improvements to approximately 8 miles of County roads, to renovate the Milton R. Owens Nature Center, to make improvements to three County parks - Interstate, Halvorsen and Otranto, to improve the T38 Access and the Bennett Access of the Cedar River Water Trail and to provide funds for administration to support Mitchell County's Urban Renewal Plan and Tax Increment Financing program.

A copy of the proposed amendment is on file for public inspection in the office of the County Auditor, County Courthouse, Osage,

Any person or organization desiring to be heard shall be afforded an opportunity to be heard at such hearing or may submit written comments prior to the date of said hearing with respect to said proposed development agreement. This Notice is given by order of the Mitchell County Board of Supervisors,

Rachel Foster, County Auditor



Fiscal Year July 1, 2024 - June 30, 2025

City of: STACYVILLE The City Council will conduct a public hearing on the proposed Budget at: Stacyville Public Library meeting room Meeting Date: 4/29/2024 Meeting Time: 07:30 PM

At the public hearing any resident or taxpayer may present objections to, or arguments in favor of, any part of the proposed budget. This notice represents a summary of the supporting detail of revenues and expenditures on file with the City Clerk and County Auditor. City budgets are subject to protest. If protest petition requirements are met, the State Appeal Board will hold a local hearing. For more information, consult https://dom.iowa.gov/local-budget-appeals.

The Budget Estimate Summary of proposed receipts and expenditures is shown below. Copies of the the detailed proposed Budget may be obtained or viewed at the offices of the Mayor, City Clerk, and at the Library.

The estimated tax levy rate per \$1000 valuation on Agricultural land is				
				3.00375
At the public hearing, any resident or taxpayer may present objections	to, or arg	uments in favor of, a	ny part of the proposed bu	dget.
Phone Number			City Clerk/Fina	nce Officer's NAM
(641) 737-2428			ony ordina ma	Harla
		Budget FY 2025	Re-estimated FY 2024	Actual FY 2023
Revenues & Other Financing Sources				
Taxes Levied on Property	1	135,623	125,617	132,64
Less: Uncollected Property Taxes-Levy Year	2	0	0	,
Net Current Property Taxes	3	135,623	125,617	132,64
Delinquent Property Taxes	4	0	0	
TIF Revenues	5	299,000	210,000	201,62
Other City Taxes	6	101,737	95,231	104,92
Licenses & Permits	7	1,450	1,000	1,21
Use of Money and Property	8	18,500	17,000	18,87
Intergovernmental	9	102,500	93,000	144,92
Charges for Fees & Service	10	308,750	303,500	305,07
Special Assessments	11	0	0	, i
Miscellaneous	12	46,000	52,000	188,37
Other Financing Sources	13	1,250,000	1,000,000	, i
Transfers In	14	477,054	492,824	810,74
Total Revenues and Other Sources	15	2,740,614	2,390,172	1,908,38
Expenditures & Other Financing Uses				
Public Safety	16	45,150	45,950	28,00
Public Works	17	82,750	83,250	61,04
Health and Social Services	18	0	0	
Culture and Recreation	19	132,500	129,500	116,58
Community and Economic Development	20	60,400	56,400	47,89
General Government	21	144,750	134,350	112,77
Debt Service	22	313,254	328,824	332,23
Capital Projects	23	1,250,000	1,000,000	316,33
Total Government Activities Expenditures	24	2,028,804	1,778,274	1,014,86
Business Type / Enterprises	25	112,000	107,500	92,70
Total ALL Expenditures	26	2,140,804	1,885,774	1,107,56
Transfers Out	27	477,054	492,824	810,74
Total ALL Expenditures/Transfers Out	28	2,617,858	2,378,598	1,918,31
Excess Revenues & Other Sources Over (Under) Expenditures/Transfers Out	29	122,756	11,574	-9,92
Beginning Fund Balance July 1	30	978,275	966,701	976,62
Ending Fund Balance June 30	31	1,101,031	978,275	966.70

REGISTER TO EARN A SCHOLARSHIP

All new and currently registered SP3 participants will be eligible for a one-time drawing for a chance to win a \$1,000 529 college savings deposit.

- Register online by April 30, 2024 at www.lowaStudentLoan.org/SP3
- Ten random winners will be chosen



www.lowaStudentLoan.org/SP3





a division of renulty

877-990-0707

MadCityBaths.com